



WATERPROOFING

There's a liquid solution for your roof - talk to GAF first

For the complete product lineup contact - Daniel Peña | daniel.pena@gaf.com | 305.812.6865



THERMOPLASTIC RUBBER

Liquid TPO: Seamless, Durable Protection in Every Coat



89SS920 - Surface Seal SB 5-GAL - White
 89SD920 - Surface Seal SB 55-GAL - White



5-Year Rate Gal/Sq ¹ (DFT ² , mils)	10-Year Rate Gal/Sq ¹ (DFT ² , mils)	15-Year Rate Gal/Sq ¹ (DFT ² , mils)
2 (16)	3 (24)	4 (32)


- Solvent-based, cures to form a seamless rubber membrane
- Ideal for direct to concrete, existing substrates, and parapet walls
- Approved for overburden (floor tile)

There's a liquid solution for your roof

GAF **FLEXSEAL**
Self-leveling Sealant



8941920 - FlexSeal Sealant White 5 GAL White




- Apply evenly by trowel.
- Apply 2.0 gal per 200 linear feet with a 6-inch width.
- If fabric embedment is required, apply an additional top layer of flashing at 2.0 gal per 200 linear feet
- Total finished dry mil thickness must be at least 21 mils without fabric and 48 mils with fabric



THERMOPLASTIC RUBBER + TILE FINISH

WATERPROOFING direct to Structural Concrete

Miami-Dade NOA# 22-0614.03 - page 16 of 18



Prime Concrete GAF Multi Purpose Primer

Fabric Reinforced Flashing Details

Surface Seal SB Application

Tile Overburden



Priming of substrate is recommended and may be required. See GAF Liquid-Applied Roofing Manual at gaf.com.

There's a liquid solution for your roof



THERMOPLASTIC RUBBER

LIQUID APPLIED ROOFING direct to Structural Concrete

Miami-Dade NOA# 23-1130.05 - page 13 of 14



Prime Concrete Deck GAF Multi Purpose Primer



Fabric Reinforced Flashing Details



Surface Seal SB Application



Priming of substrate is recommended and may be required. See GAF Liquid-Applied Roofing Manual at gaf.com.

There's a liquid solution for your roof



THERMOPLASTIC RUBBER

WALL COATING over Parapet Walls



There's a liquid solution for your roof



THERMOPLASTIC RUBBER

WATERPROOFING Windows for Extreme Wind/Water Conditions



There's a liquid solution for your roof

PRIME

ENHANCED ADHESION



GAF Multi-Purpose Primer

- 891435000 - GAF Multi-Purpose Primer Part A - 4 GAL
- 891436000 - GAF Multi-Purpose Primer Part B - 1-GAL
- 891433000 - GAF Multi-Purpose Primer Part A - 1 GAL
- 891434000 - GAF Multi-Purpose Primer Part B - 1 PINT

Priming of substrate is recommended and may be required. See GAF Liquid-Applied Roofing Manual at gaf.com.

SEAL

Prevent Leaks



FLASHING:

- 8940920WP - FlexSeal Self Leveling White 5-GAL
- 8962920WP - FlexSeal Caulk Grade White 10oz Tube 20/box

COAT



Surface Seal SB (Solvent-Based) THERMOPLASTIC RUBBER COATING

- 89SS920 - Surface Seal SB 5-GAL - White
- 89SD920 - Surface Seal SB 54-GAL - White



LIQUID-APPLIED

ROOFING & WATERPROOFING

Daniel Peña

GET PEACE OF MIND WITH A GAF PRO

305.812.6865

daniel.pena@gaf.com



Photo taken at #WALLOFWIND

There's a liquid solution for your roof - talk to GAF first